

Table of Contents

MODWC Claims Release 3.1 Test Plan Summary	2
Who is required to Test?	2
Summary of Test Stages	2
Miscellaneous Information for Test Stages	3
Stage 1: EDI Trading Partner Profile Electronic Registration	4
Stage 2: Pretest & Technical Capability Test	4
Pretest and Technical Capability Test Requirements for Test Batches	4
Pretest and Technical Capability Pointers	5
Stage 3: Business Content Test (FROI)	6
FROI Test Requirements for Test Batches	6
Stage 4: Business Content Test (SROI)	8
SROI Test Requirements for Test Batches	8
Stage 5: MODWC Test Completion (FROI and SROI)	9
Moving from Test to Production Status	9
Production Readiness and Reporting	9
Missouri FDI Testing Feedback Request List R3 1	9

MODWC Claims Release 3.1 Test Plan Summary

The MODWC implementation of the IAIABC EDI Claims Release 3.1 reporting will be on December 5, 2025. Please review the Missouri Bureau of Worker's Compensation (MODWC) Claims Release 3.1 EDI Implementation Schedule located in the Implementation Info section of the MODWC EDI website: https://www.modwcedi.info . The Implementation Schedule contains additional information regarding the testing and production timeline. Testing for Missouri will be handled by Missouri's Claims EDI vendor, Verisk. Trading Partners and/or their EDI Vendors must request testing feedback from Verisk by submitting the Missouri EDI Testing Feedback Request List R3.1 to modwcedi@verisk.com.

Who is required to Test?

All trading partners must be approved individually or through an EDI Vendor prior to filing Missouri EDI Release 3.1 reports in production with the following considerations.

Trading Partners Using an EDI Vendor

- Any organization that plans to file EDI FROI/SROI reports using an EDI Vendor in Missouri who is performing the edits on the data, will not be required to complete the test as the vendor will complete the test plan on behalf of all their clients. After the EDI Vendor is approved for production, your organization will also be approved for production as well, provided that the EDI Vendor is performing the edits on the data.
- Any organization that plans to file EDI FROI/SROI reports using an EDI Vendor as a pass through, and the EDI Vendor is NOT performing edits on the data prior to transmission to the MODWC, will be required to complete the test plan in accordance with the schedule provided.

Trading Partners Transmitting Directly (Direct SFTP)

Any organization that plans to file EDI FROI/SROI reports without using an EDI Vendor in Missouri will be required to complete the test plan.

Summary of Test Stages

There are five stages to the MODWC Test Plan:

- **Stage 1** EDI Trading Partner Profile Electronic Registration: Every Trading Partner providing data to MODWC must first complete an electronic Trading Partner Profile.
- **Stage 2** Pretest & Technical Capability Test: This pre-test is to ensure proper file structure.

- Stage 3 Business Content Test (FROI): This test is to fully test First Report of Injury (FROI) transactions. Note: These FROI transactions will be used for Stage 4 to complete the Subsequent Reports of Injury (SROI) transactions.
- Stage 4 Business Content Test (SROI): This test is to fully test Subsequent Reports of Injury (SROI) transactions.
- Stage 5 MODWC Test Completion (FROI and SROI): This is the confirmation that FROI and SROI testing has been completed and approved by the MODWC. This is the final step to be officially approved for production EDI reporting of workers' compensation FROI and SROI data with the MODWC.

Miscellaneous Information for Test Stages

There is little value in collecting and utilizing data unless there is assurance that the data is accurate. When FROI and SROI reports are transmitted to the MODWC via EDI, then they are tested for completeness and validity using built-in data edits on the Verisk/ISO wcCapture system.

The data reporting requirements for each data element are listed in the Element Requirements. MODWC accepts MTCs specific to MODWC requirements and Trading Partners are expected to test all MTC's as outlined in this plan. Refer to the Event Table of the MODWC Implementation Guide for more information regarding the MTC's that are required. The MTC Sequencing is found on the Edit Matrix Sequencing Table which, if followed correctly, will promote successful sequencing test results. For additional information on all the MODWC reporting requirements, refer to the MODWC Implementation Guide and Requirement Tables located on the MODWC EDI website https://www.modwcedi.info/requirements.

MODWC MTC definitions and DP Rules are based on the IAIABC Release 3.1 Standards. Each MTC definition and DP rule can be found in the IAIABC Release 3.1 Claims Data Dictionary. The IAIABC Release 3.1 Guide can be found at https://www.iaiabc.org/iaiabc/EDI Claims.asp. This guide must be used in conjunction with the MODWC Implementation Guide for EDI implementation.

The MODWC will process the transactions, apply all edits, validate data accuracy and return acknowledgments to the Trading Partner. Processing is usually done the same day, but no longer than 48 hours after the data is submitted with consideration for issues caused by the test file format issues or other unexpected processing issues.

The ability of the Trading Partner to store and properly use the MODWC Claim Number (JCN) assigned by the MODWC will be validated in this test. The JCN is used as primary match data to locate the claim in the MODWC database.

MODWC would like to emphasize that the Test Stages are an opportunity for EDI Vendors and Trading Partners to ensure their systems are supplying FROI and SROI data which meet Missouri filing requirements. EDI Vendors and Trading Partners are encouraged to submit real test data with as much variety as possible. The longer the testing period, the greater the chance for success in production. This extra testing effort will reassure the EDI Vendor and Trading Partner that when mandatory data

reporting of EDI Claims Release 3.1 begins in Missouri on December 5, 2025, their FROI and SROI submissions will meet with minimal rejection. If the evaluation of the data quality of the EDI test transactions meets with the expected results, the MODWC will notify the Trading Partner that the testing has been completed.

Stage 1: EDI Trading Partner Profile Electronic Registration

Trading Partners are required to complete the MODWC Trading Partner Profile Registration before testing can begin.

See MODWC EDI website - https://www.modwcedi.info (select Trading Partner Profile)

This MODWC EDI Trading Partner Profile Registration provides each trading partner with the ability to create and submit a New Profile or an Updated Trading Partner Profile. This form will uniquely identify a trading partner as the sender of the data, how the data will be sent, the business and technical contacts, and the demographics for the Subsidiary Insurers and Claim Administrators.

Upon completion of the EDI Trading Partner Profile online, an auto response email will be sent to the primary contact and to the MODWC. This will serve as notification to all parties of the EDI Trading Partner information for EDI implementation.

Upon approval of the EDI Trading Partner Profile by the MODWC, the EDI Support Team will contact the Trading Partner's primary contact to indicate the start date for moving to Stage 2 Pretest & Technical Capability Test.

Stage 2: Pretest & Technical Capability Test

The purpose of the Pretest and Technical Capability Test is to ensure that the FROI and SROI test files have valid file structure/format based on IAIABC Claims Release 3.1 standards and to verify that the appropriate values are populated for the data elements as they relate to the Trading Partner Profile.

Pretest and Technical Capability Test Requirements for Test Batches

For the Pretest and Technical Capability Test, and to test the file structure of both FROI and SROI files, MODWC suggests that the Trading Partner submit at least one (1) FROI Original (MTC 00) or equivalent to receive a TA acknowledgment followed by one SROI Initial Payment (MTC IP) or equivalent to receive a TA acknowledgment. Note: These accepted FROI and SROI reports may be used as valid FROI and SROI reports indicated in the Stage 3 FROI and Stage 4 SROI testing.

The file structure/format for the test files must be correct. Each batch must contain an appropriate header record, one or more transaction records with correct record format(s), a trailer record, and the number of records sent matches the record/transaction numbers indicated in the trailer. If the file structure/format is valid, the results of this test will provide an acknowledgment with edit result details

on each specific report sent. Otherwise, if the file structure/format is invalid, then depending on the issue, either a Batch Reject acknowledgment will be returned or the MODWC EDI Support Team will contact the Trading Partner with the file structure issue via email.

Pretest and Technical Capability Pointers

This section provides a few pointers on the IAIABC Claims Release 3.1 file structure and MODWC's expectations.

Transmission method:

MODWC receipt of FROI/SROI files, coincident with method approved on Trading Partner Profile Electronic registration.

Header (HD1):

➤ Header (HD1): Proper information, coincident with electronic registration process

	IAIA	MODWC			
DN	Data Element Name	Format	Beg	End	Value
001	Transaction Set ID	3.1 A/N	1	3	HD1
098	Sender FEIN	9 A/N	4	12	*
098	Filler	7 A/N	13.1	19	Spaces
098	Sender Postal Code	9 A/N	20	28	*
099	Receiver FEIN	9 A/N	29	37	446000987
099	Filler	7 A/N	3.18	44	Spaces
099	Receiver Postal Code	9 A/N	45	53	651020058
100	Date Transmission Sent	Date	54	61	*
101	Time Transmission Sent	Time	62	67	*
102	Original Transmission Date	Date	68	75	Spaces
103.1	Original Transmission Time	Time	76	81	Spaces
104	Test Production indicator	1 A/N	82	82	Т
105	Transmission Type Code	3.1 A/N	83.1	85	148
105	Release Number	2 A/N	86	87	31

^{*}Include the appropriate date per IAIABC Standards

- Trailer (TR2) Ensure proper transaction count & detailed record count
- ➤ 148 Record –Ensure proper file length (913 bytes)
- > R21 Ensure proper file length dependent on variable segments
- ➤ Transmission method received Trading Partner receipt of the batch, coincident with the electronic registration process. The batch returned by MODWC must be reviewed by the trading partner to obtain the status of the transactions.
- ➤ Batch Format of files sent by the Trading Partner is correct, (i.e., each batch contains an appropriate header record, one or more transaction records, and a trailer record, and the number of records sent matches the record/transaction numbers indicated in the trailer).
- ➤ Valid formatted data for all data fields, e.g., data in the date of injury field, must be in DATE format, date of injury is < date of report and cannot be a non-existent date (a date in the future), values in code fields must have valid code values, etc. Each Trading Partner must have the same understanding of the meaning of each data element and submit data with that meaning only. (Review the definitions for each required data element found in the data element dictionary of the IAIABC Implementation Guide.)

Stage 3: Business Content Test (FROI)

Test Stage 3 is to ensure that the following FROI Test requirements are met before a Trading Partner is permitted to routinely submit electronic data to the MODWC in a Production status. Trading Partners must submit complete data for all required data elements. It is recommended that a review of the SROI Test Requirements for Test Batches be performed for consideration to determine if additional FROI test reports are needed to establish claims to successfully complete the subsequent SROI testing. For the FROI testing and subsequently the SROI testing, Acquired Claim MTC's are not included; however, consideration will be made by MODWC to test Acquired Claim MTC's upon request by the Trading Partner. MODWC FROI MTC's required for testing are as follows:

00 01 02 04 UR

FROI Test Requirements for Test Batches

FROI Test Requirements for Batch 1

Trading Partners need to submit initial Business Content Test transmissions for Batch 1 as follows:

- 1. At least nine (9) Original Transactions (FROI MTC 00) including;
 - a) One (1) FROI 00 with an invalid data element that should cause a TR, (e.g. Invalid Nature of Injury Code)
 - b) One (1) FROI 00 with a missing required data element that should cause a TR, (e.g. missing Employee Last Name)
 - c) One (1) FROI 00 with multiple Part of Body Injured Codes, using Body Part Injured Location Code on at least one and Part of Body Injured Fingers/Toes Location Code on at least one body part.
 - d) Five (5) FROI 00s that obtain a TA status
- 2. At least one (1) FROI Denial (MTC 04) without an MODWC Claim Number (JCN) (DN0005), (e.g. a new claim for which no benefits will be paid.)
- 3. At least four (4) FROI Update Report (MTC URs) with no errors that will obtain a TA.
- 4. At least two (2) FROI Update Report (MTC URs) that will cause a TR.

FROI Test Requirements for Batch 2

Trading Partner needs to submit a second Business Content Test transmission as soon as can be scheduled with the following transactions:

- 1. At least two (2) Original (MTC 00) with no errors.
- 2. At least two (2) Original (MTC 00) to correct invalid data from a TR transaction submitted in batch 1.
- 3. At least four (4) FROI Changes (MTC 02):
 - (1) to Update a Match Data element from a Batch 1 FROI, such as Employee First and/or Last Name or Date of Injury;
 - (1) to Add a non-match data element (not in a variable segment);
 - (1) to Remove a non-match data element (e.g. Employee Phone Number) from a Batch 1
 FROI

- (1) to Delete a variable segment in a FROI variable segment (e.g. one of the Part of Body Injured codes) from a Batch 1 FROI
- 4. At least one (1) Cancel Entire Claim (MTC 01) with the JCN from a Batch 1 FROI

The MODWC will process the transactions, apply all edits, validate data accuracy and return acknowledgments to the Trading Partner. Processing usually occurs the same day that the data is transmitted to the MODWC. The ability of the Trading Partner to store and properly use the JCN assigned by the MODWC will be validated in this test. The JCN is a nine-digit numeric that is used as primary match data to locate the claim in the MODWC database.

This test process will be repeated until the Trading Partner demonstrates the ability to submit the transactions with the data quality criteria of at least ninety percent {90%} of the transmitted reports free of any errors in mandatory and conditional data elements. Once the data quality criteria of the EDI transmissions have been met, the Trading Partner is ready to move from test to production status. MODWC will notify the Trading Partner by email that the Trading Partner has passed the tests and is approved for production. MODWC and the Trading Partner can then select a mutually agreed upon date to begin production.

The Trading Partner should submit additional Business Content Test transmissions as needed to complete the test with consideration of SROI testing.

Upon completion of Batch 1 and 2 FROIs, the Trading Partner and/or their EDI Vendor must request testing review and approval from MODWC by submitting the **Missouri EDI Testing Feedback Request List R3.1** to modwcedi@verisk.com. MODWC will then notify the Trading Partner by email if the Trading Partner has passed the FROI tests and is approved to proceed with SROI testing.

MODWC Test Completion (FROI) - Congratulations!

FROI test completion is an indication that testing FROI data has been completed successfully and approval from the MODWC has been received to proceed with testing SROI data.

You are now officially approved for production EDI reporting of workers' compensation FROI data with the MODWC. Data transmissions will be monitored for completeness, validity, and accuracy by the MODWC during production. Trading Partners may be sent quality control reports that measure their data quality. The Test/Production Indicator (DN 0104) located in position 82 of the header record is set to 'P' during production. Data will be posted to the MODWC production database. Data sent to MODWC will continue to be monitored for completeness and validity. Trading Partners are expected to meet or exceed a ninety percent (90%) accuracy rate for mandatory and conditional data elements. MODWC automatically monitors the quality of data received during test and production from individual Trading Partners. The system tracks all outstanding errors and produces automated data quality reports. MODWC plans to provide these reports to each Trading Partner on a periodic basis. Trading partner profiles must be kept up-to-date. MODWC must be notified of any changes via the update electronic registration process.

Note: If the transmission mode or specifications are changed, re-testing some or all transaction types may be required.

Stage 4: Business Content Test (SROI)

Test Stage 4 is to ensure that the following SROI testing requirements are met before a Trading Partner is permitted to routinely submit electronic data to the MODWC in a production status. Trading Partners must submit complete data for all required data elements. It is recommended that a review of the FROI Test Requirements for Test Batches be performed for consideration to determine if additional FROI test reports are needed to establish claims to successfully complete the SROI testing.

SROI Test Requirements for Test Batches

Trading Partners will need to submit Stage 3 FROI business content test transmissions to establish the claims for the balance of the SROI testing and to obtain the JCN that is required for the SROI test claims. The SROI test MTC's listed must be submitted per the sequencing requirements to satisfy the MTCs required for the test. Trading Partners must submit complete data for all required data elements. MODWC SROI MTC's required for testing are as follows:

02 04 CA CB CD EP ER FN IP NT PD PY QT RB SX UR

- At least five (5) SROI (MTC UR) Transactions that contain both Benefit and Other Benefit Type Code segments, with no errors (TAs) for JCN's previously accepted in R1 to set the picture for R3.1.
- 2. At least two (2) SROI (MTC IP) Transactions with no errors (TAs). One IP should be for 050 Temporary Total benefits.
- 3. One (1) SROI MTC with an invalid data element that should cause a TR, (e.g. Invalid Benefit Type Code)
- 4. One (1) SROI MTC CD (Compensable Death with No Known Dependents/Payees)
- 5. One (1) SROI MTC EP (Employer Paid Salary In lieu of Compensation)
- 6. One (1) SROI MTC CA to Change the Average Wage, Calculated Weekly Compensation Amount, Gross and Net Weekly Amount for Benefit Type to 050 (Temporary Total) after IP accepted.
- 7. One (1) SROI MTC CB to Change Benefit Types to 070 (Temporary Partial) after an IP accepted.
- 8. One (1) SROI MTC CB to Change Benefit Types to 030 (Permanent Partial) after an IP accepted.
- 9. One (1) SROI MTC CA to report Reduced Earnings after 070 (Temporary Partial) benefits have been accepted.
- 10. One (1) SROI MTC PY to report a lump sum settlement.
- 11. At least four (4) SROI Change Transactions (MTC 02):
 - (1) to Update a non-match data element
 - (1) to Add a non-variable data element
 - (1) to Remove a non-match data element
 - (1) to Delete a non-variable data element
- 12. One (1) SROI MTC 04 Denial to totally deny a claim at some point after IP accepted
- 13. One (1) SROI MTC PD to Partially Deny a claim at some point after IP accepted
- 14. One (1) SROI MTC SX to Suspend Benefits after IP accepted
- 15. One (1) SROI MTC SX to Suspend Benefits after EP accepted
- 16. One (1) SROI MTC RB to Reinstate Benefits after SX accepted
- 17. One (1) SROI MTC ER to Reinstate Employer Paid Benefits after SX accepted
- 18. One (1) SROI MTC QT Quarterly Report
- 19. One (1) SROI MTC FN Final Report

Upon completion of SROI testing (including FROI and SROI UR's), the Trading Partner and/or their EDI Vendor must request testing review and approval from MODWC by submitting the **Missouri EDI Testing Feedback Request List R3.1** to modwcedi@verisk.com.

Stage 5: MODWC Test Completion (FROI and SROI)

Moving from Test to Production Status

If the evaluation of the data quality criteria of the EDI test transactions meets with the expected results, the MODWC will notify the Trading Partner that the testing has been completed and MODWC has granted production approval. MODWC will notify the Trading Partner by email of the production approval or will provide instructions on next steps if production approval is not granted.

Upon production approval by MODWC, the MODWC and the Trading Partner can then select a mutually agreed upon date to begin EDI reporting of workers' compensation FROI and SROI data with MODWC in production.

You are now officially approved for production EDI reporting of workers' compensation FROI and SROI data. MODWC Data transmissions will be monitored for completeness, validity, and accuracy by the MODWC during production.

Production Readiness and Reporting

Test/Production Indicator

The Test/Production Indicator (DN 0104) located in position 82 of the Header Record must now be set to 'P' for production. Data will be posted to the MODWC production database.

Data Quality Requirements

Data sent to MODWC will continue to be monitored for completeness and validity. Trading Partners are expected to meet or exceed a ninety percent (90%) accuracy rate for mandatory and conditional data elements

Trading Partner Profiles

Trading Partner Profiles must be kept up-to-date. MODWC must be notified of any changes via the update electronic registration process. See MODWC website – https://www.modwcedi.info/ (select Trading Partner Profile)

Missouri EDI Testing Feedback Request List R3.1

This list can be found at https://modwcedi.info/impl-info